Permabond® 2K-Surface Primer

ISO 9001:2015 Certified "Our Science ... Your Success"



Permabond 2K Primer is ideal for preparing metal, glass and composite materials ready for bonding with engineering adhesives. It contains an adhesion promotor which improves the quality of the bond. When mixed, the red-coloured solution clearly shows surface "wetting ability". If it can be spread, then the surface is ready for bonding; if the droplets bunch up, more surface preparation is required. Not only does it show you the condition of the surface you wish to bond, it also helps protect the joint from environmental attack – so well worth considering when bonding assemblies which are due to go underwater or outdoors.

preparing: **Aluminium**

Ideal for

Carbon Fibre

Ceramic

Chrome

Copper

Ferrite

Galvanised Zinc

Glass

GRP

Magnet

Mild Steel

Stainless Steel

Tungsten

Zinc

+ Many more materials

- Improves long-term durability of the bonded joint
- Allows easy visual inspection of surface bondability
- Helps protect metal against corrosion, increasing durability
- Simple non-hazardous, low cost pre-treatment
- Achieves consistently high bond strength every time
- Reduce bond failures



2K Primer Product Data


| Physical Properties, Storage & Handling | 2K Primer |
|--|-----------------------|
| Colour | Red |
| Viscosity | 1 mPa.s (cP) |
| Flashpoint | +55 °C (131°F) |
| Specific Gravity | 1.0 |
| Mixed Life | 8 Hours |
| Storage Temperature | 5 - 25°C (41 to 77°F) |
| Shelf Life | |
| (Stored in original, | 24 Months |
| unopened containers) | |


Additional Information.


Users are reminded that all materials, whether innocuous or not, should be handled in accordance with the principles of good industrial hygiene. Full information can be obtained from the Safety Data Sheet.


Package size is 20g A + 1g B, bulk is available upon request.

The graphs below show the use of Permabond 2K Primer on abraded aluminium surfaces bonded with a structural acrylic adhesive. The results of both the salt spray ageing and humidity tests show improved durability.









Type "YouTube Permabond" into your chosen search engine to watch our demo video.

For full technical information, please refer to product data sheet



• US Helpline - 800-640-7599

• UK - 0800 975 9800

Asia + 86 21 5773 4913 Wessex Business Park

• General Enquiries +44(0)1962 711661 Wessex Way

• Deutschland 0800 101 3177 Colden Common

info.europe@permabond.com Hampshire info.americas@permabond.com SO21 1WP





Distributor Stamp:

